

Opisthobranch Newsletter

September/October, 1999 -- 25(9/10):29

Steven J. Long, editor; 20220 21st Avenue N.W., Shoreline, WA 98177-2314; 206-546-5977; 206-546-5076 fax; <http://www.seaslug.com>
Published annually \$20 (US funds). Copyright © 1999.

EDITOR'S NOTES

Erwin Köhler has done a great job updating the Opisthobranch Illustration List. The result is on www.seaslug.com now with over 4,360 opisthobranch illustrations. Gary McDonald continues to send citations as they get into the computer indexing systems. Bill Rudman, Bob Bolland and Wayne Ellis are both putting notices on the seaslug listserver regularly. Thanks to everyone who has sent material for the ON.

Most of my available time (after I make a living) is spent working on indexing the literature for bibliography. Many publications (especially "gray literature") never hit Zoological Record or Biological Abstracts and if they do they seldom list all of the species which are in the publication. "Gray literature" is definitely not included in the big abstracts. I try to include every mention of opisthobranchs in any medium. Please send me copies of any literature with opisthobranchs mentioned. Newspapers, popular magazines, school projects – anything. If you are able to send a complete citation and list of the species mentioned that will also help.

I need your input for the future format of the ON. The Portable Document Format on the Web seems to meet most people's needs. After the end of 1999 the format will depend on your comments.

BIBLIOGRAPHY (with Gary McDonald)

Adrianov A.V., Kussakin O.G. 1998. A check-list of biota of the Peter The Great Bay, the Sea of Japan. [Editor V.L. Kassianov] Vladivostok, Dalnauka. Russian Academy of Sciences, Far East Branch, Institute of Marine Biology, 350p. [In Russian, English Summary, *Japonacteon nipponensis*, *Acteocina insignis*, *Retusa instabilis*, *Retusa succincta*, *Volvulella sculpturata*, *Philine argentata*, *Placida dendritica*, *Stiliger boodleae*, *Stiliger berghi*, *Berthella californica*, *Palio dubia*, *Triopha catalinae*, *Polycera* sp., *Cadlina* sp.1, *Cadlina* sp.2, *Okadaia elegans*, *Okadaia tectocardia*, *Goniodoridella savignyi*, *Diaulula sandiegensis*, *Rostanga* sp., *Adalaria derjugini*, *Adalaria jannae*, *Acanthodoris pilosa*, *Onchidoris bilamellata*, *Loy meyeri*, *Proloy millenae*, *Okenia distincta*, *Tritonia diomedea*, *Dendronotus frondosus*, *Dendronotus robustus*, *Dirona pellucida*, *Paracoryphella islandica*, (*Paracoryphella islandica*), *Chlamylla atypica*, *Coryphella japonica*, *Coryphella trophina*, *Coryphella verrucosa*, *Coryphella amabilis*, *Coryphella athadona*, *Nudibranchus rupium*, *Aenigmostyletus alexei*, *Leostyletus pseudomisakiensis*, *Amphorina horii*, *Cuthonella soboli*, *Trinchesia viridis*, *Trinchesia ornata*, *Trinchesia pupillae*, *Trinchesia* sp.1, *Trinchesia* sp.2,

Trinchesia sp.3, *Tenellia adspersa*, *Aeolidia papillosa*, *Cerberilla longibranchus*, *Hermisenda crassicornis*, *Runcina marisae*, *Clione limacina*, *Limacina helicina*]

- Angeloni, L.; Bradbury, J. 1999-06.** Body size influences mating strategies in a simultaneously hermaphroditic sea slug, *Aplysia vaccaria*. *Ethology Ecology & Evolution* 11(2):187-195.
- Blackwell, K.T. 1999-06.** Dynamics of the light-induced current in *Hermisenda*. *NEUROCOMPUTING* 26(7):61-67.
- Boxshall, G.A.; Platts, E.A. 1978.** The first record of the copepod *Doridicola agillis* Leydig on the nudibranch *Aeolidiella sanguinea* (Norman). *Ir.-Nat.-J.* 19(7):252.
- Caroni, Pico 1998.** Neuro-regeneration: Plasticity for repair and adaptation. **Higgins, S. J.** [Ed.] *Essays in Biochemistry: Molecular biology of the brain.* (1998.) Princeton University Press 53-64. [Aplysia]
- Chiken, S.; Kuwasawa, K. 1998-12.** An electrophysiological analysis of chemoreceptive conditioned reflex in dissected preparation of the opisthobranch mollusc *Pleurobranchaea japonica*. *Zoological Science* (Tokyo) 15(SUPPL.):116.
- Chin, Jeannie; Angers, Annie; Cleary, Leonard J.; Eskin, Arnold; Byrne, John H. 1999-05/06.** TGF-beta 1 in *Aplysia*: Role in long-term changes in the excitability of sensory neurons and distribution of T beta R-II-like immunoreactivity. *LEARNING & MEMORY* 6(3):317-330.
- Cimino, G.; Fontana, A.; Gavagnin, M. 1999-07.** Marine opisthobranch molluscs: Chemistry and ecology in sacoglossans and dorids. *CURRENT ORGANIC CHEMISTRY* 3(4):327-372.
- Clatworthy, A.L.; Noel, F.; Grose, E.; Cui, M.; Toffilon, P.J. 1999-06-11.** Ionizing radiation-induced alterations in the electrophysiological properties of *Aplysia* sensory neurons. *Neuroscience Letters* 268(1):45-48. [Aplysia californica]
- Coleman, N. 1989.** Nudibranchs of the south Pacific, vol. 1, 64 pp. Sea Australia Resource Centre, Australia. [*Actinocyclus japonicus*, *Alloiodoris marmorata*, *Aphelodoris lawsae*, *Aphelodoris* sp., *Aphelodoris varia*, *Ardeadoris egretta*, *Armina cygnea*, *Armina variolosa*, *Asteronotus cespitosus*, *Austraeolis cacotica*, *Austraeolis westralis*, *Bornella anguilla*, *Bornella stillifer*, *Cadinella ornatissima*, *Ceratosoma amoena*, *Ceratosoma brevicaudatum*, *Ceratosoma gracillimum*, *Ceratosoma trilobatum*, *Cereberilla ambonensis*, *Chromodoris aspersa*, *Chromodoris bullocki*, *Chromodoris coi*, *Chromodoris colemani*, *Chromodoris collingwoodi*, *Chromodoris daphne*, *Chromodoris decora*, *Chromodoris elisabethina*, *Chromodoris epicuria*, *Chromodoris fidelis*, *Chromodoris geometrica*, *Chromodoris kuiteri*, *Chromodoris kuniei*, *Chromodoris lochi*, *Chromodoris loringi*, *Chromodoris magnifica*, *Chromodoris nigrostraita*, *Chromodoris* sp., *Chromodoris splendida*, *Chromodoris striatella*, *Chromodoris strigata*, *Chromodoris tasmaniensis*, *Chromodoris westaliensis*, *Crimora lutea*, *Dendrodoris densioni*, *Dendrodoris elongata*, *Dendrodoris guttata*, *Dendrodoris tuberculosa*, *Dermatobranchus ornatus*, *Dermatobranchus* sp, *Dididentis perplexa*, *Discodoris* sp., *Discodoris concinna*, *Discodoris crawfordi*, *Doriopsilla carneola*, *Doriopsilla miniata*, *Doto* sp., *Fiona pinnata*, *Flabellina macassarana*, *Flabellina rubrolineata*, *Flabellina* sp., *Flabellina westralis*, *Glaucilla marginata*, *Glossodoris atomarginata*, *Glossodoris averni*, *Glossodoris cincta*, *Glossodoris cruentus*, *Glossodoris paladentatus*, *Glossodoris rubroannulata*, *Glossodoris rufomarginata*, *Glossodoris stellatus*, *Gymnodoris arnoldi*, *Gymnodoris ceylonica*, *Gymnodoris okinawae*, *Gymnodoris* sp., *Gymnodoris straita*, *Halgerda aurantiomaculata*, *Halgerda graphica*, *Halgerda* sp., *Halgerda tessellata*, *Halgerda willeyi*, *Hexabranchus sanguineus*, *Hypselodoris bennetti*, *Hypselodoris maculosa*, *Hypselodoris maritima*, *Hypselodoris obscura*, *Janolus* sp., *Jorunna funebris*, *Jorunna patherina*, *Kalopocamus* sp., *Kalopocamus yatesi*, *Kentrodoris rubescens*, *Limacia* sp., *Madrella ferruginosa*, *Marianina rosea*, *Marianina rosea*, *Marioniopsis* sp., *Melibe australis*, *Melibe mirifica*, *Miamira magnifica*, *Miamira sinuata*, *Nembrotha lineolata*, *Nembrotha nigerrina*, *Nembrotha rutilans*, *Nembrotha tabascens*, *Neodoris chrysoderma*, *Notodoris citrina*, *Notodoris gardineri*, *Nouma* sp., *Noumea crocea*, *Noumea flava*, *Noumea sulphurea*, *Okenia pellucida*, *Okenia* sp., *Paliolla cooki*, *Pectenodoris trilineata*, *Phestilla melanobranchia*, *Phidiana indica*,

Opisthobranch Newsletter

Copyright © September/October, 1999 - Volume 25(9/10):30

Phyllodesmium sp., *Phyllodesmium crypticum*, *Phyllidia coelestis*, *Phyllidia elegans*, *Phyllidia loricata*, *Phyllidia nobilis*, *Phyllidia ocellata*, *Phyllidia* sp., *Phyllidia varicosa*, *Phyllidiella* sp., *Phyllidiopsis straita*, *Platydoris cruenta*, *Platydoris scabra*, *Platydoris* sp., *Plocamopherus ceylonicus*, *Plocamopherus imperialis*, *Polycera capensis*, *Protoaeolidiella juliae*, *Pteraeolidia ianthina*, *Risbecia godeffroyana*, *Roboastra arika*, *Roboastra gracilis*, *Rostanga calumus*, *Spurilla australis*, *Spurilla macleayi*, *Tambja affinis*, *Tambja morosa*, *Tambja* sp., *Tambja verconis*, *Thecacera pacifica*, *Thecacera pennigera*, *Trapania aurata*, *Trapania brunnea*, *Trippa spongiosa*, *Tritonia* sp., *Tritoniopsis alba*

Conrad, Parker; Wu, Fang; Schacher, Samuel 1999-05. Changes in functional glutamate receptors on a postsynaptic neuron accompany formation and maturation of an identified synapse. *Journal of Neurobiology* 39(2):237-248.

Crown, Terry; Xue Bian, Juan-Juan; Siddiqi, Vilma 1999-07. Protein synthesis-dependent and mRNA synthesis-independent intermediate phase of memory in *Hermisenda*. *Journal of Neurophysiology* 82(1):495-500.

Debelius, H. 1996. Nudibranchs and Sea Snails: Indo-Pacific Field Guide. I KAN-Unterwasserarchiv, Frankfurt, Germany, 321 pp., 1000+ color illus. [Aegires sp. 1, Aegires sp. 2, Aeolidiella chromosoma, Aeolidiella indica, Alliodoris hedleyi, Aphelodoris varia, Aplysia californica, Aplysia dactylomela, Aplysia fasciata, Aplysia juliana, Aplysia oculifera, Aplysia parvula, Aplysia reticulata, Aplysia sp. 1, Aplysia sp. 2, Archidoris montereyensis, Archidoris odhneri, Archidoris wellingtonensis, Ardeadoris egretta, Armina californica, Armina cygnea, Armina japonica, Armina sp. 1, Armina sp. 2, Armina sp. 3, Armina sp. 4, Armina sp. 5, Armina sp. 6, Armina sp. 7, Asteronotus cespitosus, Atys debilis, Atys semistriata, Australeolis ornata, Berghia australis, Berthelinia rotnesti, Berthella martensi, Berthella sp., Berthella stellata, Berthellina citrina, Berthellina engeli, Bornella anguilla, Bornella stellifera, Bulla ampulla, Bulla quoyi, Bulla vernicosa, Bullina lineata, Bursatella leachi, Bursatella sp., Cadlina nibrobranchiata, Cadlinella ornatissima, Cadlinella sp. 1, Cadlinella sp. 2, Ceratosoma amoena, Ceratosoma amoena, Ceratosoma brevicaudatum, Ceratosoma gracillimum, Ceratosoma tenue, Ceratosoma trilobatum, Cerberilla affinis, Cerberilla sp., Chelidonura amoena, Chelidonura castanea, Chelidonura flavolagata, Chelidonura fulvipunctata, Chelidonura hirundinina, Chelidonura inornata, Chelidonura livida, Chelidonura pallida, Chelidonura punctata, Chelidonura sandrana, Chelidonura tsurugensis, Chelidonura electra, Chelidonura varians, Chromodoris africana, Chromodoris albopunctata, Chromodoris annae, Chromodoris annulata, Chromodoris aspersa, Chromodoris aureopurpurea, Chromodoris baumanni, Chromodoris boucheti, Chromodoris bullockii, Chromodoris coi, Chromodoris colemani, Chromodoris collingwoodi, Chromodoris daphne, Chromodoris decora, Chromodoris elizabethina, Chromodoris fidelis, Chromodoris geminus, Chromodoris geometrica, Chromodoris gleniei, Chromodoris kuiteri, Chromodoris kuniei, Chromodoris leopardus, Chromodoris lineolata, Chromodoris lochi, Chromodoris magna, Chromodoris norrisi, Chromodoris obsoleta, Chromodoris quadricolor, Chromodoris reticulata, Chromodoris ruzafai, Chromodoris sp. 1, Chromodoris sp. 2, Chromodoris sp. 3, Chromodoris sp. 4, Chromodoris sp. 5, Chromodoris sp. 6, Chromodoris sp. 7, Chromodoris sp. 8, Chromodoris sp. 9, Chromodoris splendida, Chromodoris tinctoria, Chromodoris tritos, Chromodoris verrieri, Chromodoris westralensis, Chromodoris willani, Cratena lineata, Cuthona hamanni, Cuthona kanga, Cyerce elegans, Cyerce nigricans, Cyllindrobulla fischeri, Dendrodoris albobrunea, Dendrodoris denisoni, Dendrodoris iris, Dendrodoris nigra, Dendrodoris tuberculosa, Dendronotus iris, Dermatobranchus gonatophora, Dermatobranchus ornatus, Dermatobranchus sp. 1, Dermatobranchus sp. 2, Dermatobranchus sp. 3, Digidentis arbuta, Dirona albolineata, Dirona albolineata,

Discodoris boholiensis, *Discodoris* sp. 1, *Discodoris* sp. 2, *Dolabella auricularia*, *Dolabrifera dolabrifera*, *Doriopsilla carneola*, *Doriopsilla janaina*, *Doriopsis pecten*, *Doto* sp. 1, *Doto* sp. 2, *Elysia brycei*, *Elysia diomedea*, *Elysia expansa*, *Elysia flava*, *Elysia ornata*, *Elysia pusilla*, *Elysia verrucosa*, *Eubranchus* sp. 1, *Eubranchus* sp. 2, *Euselops luniceps*, *Flabellina bicolor*, *Flabellina bilas*, *Flabellina exoptata*, *Flabellina iodinea*, *Flabellina iodinea*, *Flabellina rubrolineata*, *Flabellina* sp. 1, *Flabellina* sp. 2, *Flabellina* sp. 3, *Flabellina* sp. 4, *Fryeria ruppellii*, *Glaucus atlanticus*, *Glossodoris atromarginata*, *Glossodoris averni*, *Glossodoris cincta*, *Glossodoris cruentus*, *Glossodoris dalli*, *Glossodoris electra*, *Glossodoris hikuerensis*, *Glossodoris pallida*, *Glossodoris poliahu*, *Glossodoris rufomarginatus*, *Glossodoris sedna*, *Glossodoris stellatus*, *Glossodoris symmetricus*, *Glossodoris undarum*, *Godiva quadricolor*, *Gymnodoris aurita*, *Gymnodoris ceylonica*, *Gymnodoris citrina*, *Gymnodoris rubropapulosa*, *Gymnodoris* sp. 1, *Gymnodoris* sp. 1, *Gymnodoris* sp. 2, *Gymnodoris* sp. 2., *Gymnodoris striata*, *Halgerda brunneomaculata*, *Halgerda carlsoni*, *Halgerda iota*, *Halgerda malessio*, *Halgerda malessio*, *Halgerda* sp. 1, *Halgerda* sp. 2, *Halgerda* sp. 3, *Halgerda terramtuensis*, *Halgerda tessellata*, *Halgerda willeyi*, *Haminoea cymbalum*, *Hancockia burni*, *Hermisenda crassicornis*, *Hexabranchus sanguineus*, *Hopkinsia* sp., *Hoplodoris nodulosa*, *Hydatina amplustre*, *Hydatina physis*, *Hypselodoris bennetti*, *Hypselodoris bullockii*, *Hypselodoris californiensis*, *Hypselodoris capensis*, *Hypselodoris carnea*, *Hypselodoris emma*, *Hypselodoris ghiselini*, *Hypselodoris infurcata*, *Hypselodoris kanga*, *Hypselodoris lapizlazuli*, *Hypselodoris maculosa*, *Hypselodoris mouaci*, *Hypselodoris nigrostriata*, *Hypselodoris obscura*, *Hypselodoris* sp. 1, *Hypselodoris* sp. 2, *Hypselodoris* sp. 3, *Hypselodoris vibrata*, *Janolus barbarensis*, *Janolus canuncta*, *Janolus carinate*, *Janolus ignis*, *Janolus* sp., *Jason mirabilis*, *Jorunna funebris*, *Jorunna* sp., *Kentrodon rubescens*, *Limacia* sp., *Limnandra nodosa*, *Lobiger souverbii*, *Madrella sanguinea*, *Marionia rubra*, *Marionia* sp. 1, *Marionia* sp. 2, *Marionia* sp. 3, *Marionopsis cyanobranchiata*, *Marionopsis dakini*, *Marionopsis platyctenea*, *Marionopsis* sp. 1, *Marionopsis* sp. 2, *Melanochlamys* sp. 1, *Melanochlamys* sp. 2, *Melanochlamys* sp. 3, *Melibe australis*, *Melibe bucephala*, *Melibe fimbriata*, *Melibe leonina*, *Melibe mirifica*, *Melibe pilosa*, *Mexichromis macropus*, *Mexichromis multituberculata*, *Miamira sinuata*, *Miamira magnifica*, *Miamira* sp., *Micromelus undatus*, *Mordilla brocki*, *Navanax aenigmaticus*, *Navanax inermis*, *Navanax polyalpus*, *Nembrotha cristata*, *Nembrotha guttata*, *Nembrotha kubaryana*, *Nembrotha lineolata*, *Nembrotha megalocera*, *Nembrotha nigerrima*, *Nembrotha purpureolineolata*, *Nembrotha rutilans*, *Nembrotha* sp., *Notarchus indicus*, *Notobryon wardi*, *Notodoris citrina*, *Notodoris gardineri*, *Notodoris minor*, *Notodoris* sp., *Noumea laboutei*, *Noumea margaretae*, *Noumea* sp., *Odontoglaia guamensis*, *Okenia barnardi*, *Peltodoris fellowsi*, *Petalifera ramosa*, *Phestilla lugubris*, *Phestilla melanobranchia*, *Phidiana hiltoni*, *Phidiana indica*, *Phidiana millitris*, *Phidiana* sp., *Philinopsis cyanea*, *Philinopsis gardineri*, *Philinopsis lineolata*, *Philinopsis pilsbryi*, *Philinopsis* sp., *Philinopsis taronga*, *Philinopsis troubridgensis*, *Phyllidiella pustulosa*, *Phyllidiella rosans*, *Phyllidiella rudmani*, *Phyllidiella zeylanica*, *Phyllidia babai*, *Phyllidia coelestis*, *Phyllidia elegans*, *Phyllidia exquisita*, *Phyllidia ocellata*, *Phyllidia tula*, *Phyllidia varicosa*, *Phyllidia varicosa*, *Phyllidiopsis annae*, *Phyllidiopsis dautzenbergi*, *Phyllidiopsis fissuratus*, *Phyllidiopsis krempfi*, *Phyllidiopsis phippiensis*, *Phyllidiopsis pipeki*, *Phyllidiopsis shirinae*, *Phyllidiopsis striata*, *Phyllodesmium briareum*, *Phyllodesmium kabiranum*, *Phyllodesmium longicirrum*, *Phyllodesmium magnum*, *Phyllodesmium poindimieri*, *Phyllodesmium serratum*, *Plakobranchus ocellatus*, *Platydoris carolynae*, *Platydoris cruenta*, *Platydoris formosa*, *Platydoris scabra*, *Pleurobranchus aureolatus*, *Pleurobranchus brockii*, *Pleurobranchus forskali*, *Pleurobranchus grandis*, *Pleurobranchus peroni*, *Pleurobranchus* sp., *Pleurobranchus xhosa*, *Plocamopherus imperialis*, *Plocamopherus maculatus*, *Polybranchia orientalis*,

Opisthobranch Newsletter

Copyright © September/October, 1999 - Volume 25(9/10):31

- Polybranchia viridis*, *Polybranchia westralis*, *Polycera capensis*, *Polycera hedgepethi*, *Polycera tricolor*, *Pteraeolidia ianthina*, *Reticulidia fungia*, *Reticulidia halgerda*, *Risbecia imperialis*, *Risbecia pulchella*, *Risbecia tryoni*, *Roboastra arika*, *Roboastra gracilis*, *Roboastra luteolineolata*, *Roboastra tigris*, *Sagaminopteron ornatum*, *Sagaminopteron psychedelicum*, *Sclerodoris* sp. 1, *Sclerodoris* sp. 2, *Scyllaea pelagica*, *Sebadoris* sp., *Siphopteron brunneomarginatum*, *Stiliger aureomarginatus*, *Stiliger smaragdinus*, *Stylocheilus longicauda*, *Tambja affinis*, *Tambja fusca*, *Tambja kushimotoensis*, *Tambja morosa*, *Tambja mullineri*, *Tambja olivaria*, *Tambja* sp., *Tambja* sp., *Tambja verconis*, *Thecacera pacifica*, *Thecacera pennigera*, *Thecacera picta*, *Thecacera* sp. 1, *Thecacera* sp. 2, *Thecacera* sp. 3, *Thecacera* sp. 4, *Thuridilla bayeri*, *Thuridilla carlsoni*, *Thuridilla hoffae*, *Thuridilla indopacifica*, *Thuridilla lineolata*, *Thuridilla neona*, *Thuridilla* sp. 1, *Thuridilla* sp. 2, *Thuridilla undula*, *Tochuina tetraquetra*, *Trapania aurita*, *Trippa intacta*, *Tritonia festiva*, *Tritonia nilsodhneri*, *Tritonia* sp. 1, *Tritonia* sp. 2, *Tritonopsilla alba*, *Tritonopsilla* sp., *Tylodina corticalis*, *Tylodina fungina*, *Umbraculum umbraculum*, *Verconia verconis*, *Volvatella* sp.]
- Denton, Jerod; Boahene, Derek; Moran, William M. 1998-11.** Luminal L-alanine stimulates exocytosis at the K⁺-conductive apical membrane of *Aplysia* enterocytes. *American Journal of Physiology* 275(5):C1300, illustration, Table, Chart, Graph.
- Dickinson, Amanda J.G.; Nason, Janette; Croll, Roger P. 1999-05.** Histochemical localization of FMRFamide, serotonin and catecholamines in embryonic *Crepidula fornicata* (Gastropoda, Prosobranchia). *Zoomorphology* (Berlin) 119(1):49-62. [Opisthobranchia]
- Dickinson, P.S. 1980.** Neuronal control of gills in diverse *Aplysia*-species: conservative evolution. *J. Comp. Physiol.* 139(1):17-23.
- Ebel, Rainer; Marin, Arnaldo; Proksch, Peter 1998-12.** Organ-specific distribution of dietary alkaloids in the marine opisthobranch *Tylodina perversa*. *Biochemical Systematics and Ecology* 27(8):769-777. [*Aplysina aerophoba*]
- Elgersma, Ype; Silva, Alcino J. 1999-04.** Molecular mechanisms of synaptic plasticity and memory. *Current Opinion in Neurobiology* 9(2):209-213. [*Aplysia*]
- Erixon, Nina J.; Demartini, Laura J.; Wright, William G. 1999-06-14.** Dissociation between sensitization and learning-related neuromodulation in an aplysiid species. *Journal of Comparative Neurology* 408(4):506-514. [*Aplysia*; *Dolabrifera dolabrifera*; *Phyllaplysia taylori*]
- Fahey, Shireen J.; Gosliner, Terrence M. 1999-10-08.** Description of Three New Species of *Halgerda* from the Western Indian Ocean with a Redescription of *Halgerda formosa*, Bergh 1880. *Proceedings of the California Academy of Sciences* 51(8): 365-383, 8 figs. [*Halgerda dalanghita* n.sp., *Halgerda dichromis* n.sp., *Halgerda toliara* n.sp., *Halgerda formosa*, *Halgerda punctata*, *Asteronotus*, *Aphelodoris*, *Sclerodoris tuberculata*, *Halgerda elegans*, *Halgerda albocristata*, *Halgerda wasinensis*]
- Farr, Maryjane; Mathews, Jenny; Zhu, De Fen; Ambron, Richard T. 1999-05/06.** Inflammation causes a long-term hyperexcitability in the nociceptive sensory neurons of *Aplysia*. *Learning & Memory* 6(3):331-340. [*Aplysia californica*]
- Floyd, P.D.; Li, L.J.; Rubakhin, S.S.; Sweedler, J.V.; and others. 1999-09-15.** Insulin prohormone processing, distribution, and relation to metabolism in *Aplysia californica*. *JOURNAL OF NEUROSCIENCE* 19(18):7732-7741.
- Fossier, P.; Blanchard, B.; Ducrocq, C.; Leprince, C.; Tauc, L.; Baux, G. 1999-07-15.** Nitric oxide transforms serotonin into an inactive form and this affects neuromodulation. *Neuroscience* 93(2):597-603. [*Aplysia californica*]
- Fossier, Philippe; Tauc, Ladislav; Baux, Gerard 1999-04.** Calcium transients and neurotransmitter release at an identified synapse. *Trends in Neurosciences* 22(4):161-166. [*Aplysia*]
- Fuhrman, F.A.; Fuhrman, G.J.; DeRiemer, K. 1979.** Toxicity and pharmacology of extracts from dorid nudibranchs. *Biol. Bull.* 156(3):289-299.
- Fujisawa, Y.; Nakamaru, K.; Ohta, S.; Morishita, F.; Furukawa, Y.; Minakata, H.; Matsushima, O. 1998-12.** Various inhibitory neuropeptides isolated from the central nervous system of *Aplysia*. *Zoological Science* 15(SUPPL.):91. [*Aplysia kurodai*]
- Furukawa, Y.; Fujisawa, Y.; Minakata, H.; Nakamaru, K.; Wakayama, H.; Nakabayashi, K.; Morishita, F.; Matsushima, O.; Ellis, T.A.; Dembrow, N.C.; Weiss, K.R.; Vilim, F.S. 1999-08.** The enterins: A novel family of neuropeptides isolated from the enteric and central nervous system of *Aplysia*. *Comparative Biochemistry and Physiology Part A Molecular & Integrative Physiology* 124(SUPPL.):S14.
- Furukawa, Y.; Nakamaru, K.; Morishita, F.; Fujisawa, Y.; Muneoka, Y.; Minakata, H.; Matsushima, O. 1998-12.** Inhibitory peptides isolated from the CNS of *Aplysia*: Effects on the CNS neurons. *Zoological Science* 15(SUPPL.):101.
- Garovoy, Jocelyn B.; Valdes, Angel; Gosliner, Terrence M. 1999-07-20.** Two new species of *Gargamella* (Mollusca, Nudibranchia) from South Africa. *Proceedings of the California Academy of Sciences*, v.51(4):245-257. [*Baptodoris*; *Gargamella bovina* n.sp.; *Gargamella gravastella* n.sp.; *Platydoris*]
- Gaston, Michelle R. 1998-03.** Neuropeptide TPep action on salivary duct ciliary beating rate in the nudibranch mollusc *Tritonia diomedea*. *Invertebrate Neuroscience* 3(4): 327-333.
- Gavagnin, M.; De Napoli, A.; Cimino, G.; Iken, K.; and others 1999-07-16.** Absolute configuration of diterpenoid diacylglycerols from the Antarctic nudibranch *Austrodois kerguelensis*. *TETRAHEDRON ASYMMETRY* 10(14):2647-2650.
- Gerencser, George A. 1999-08.** Reconstituted Cl⁻-ATPase: A novel ion pump. *Comparative Biochemistry and Physiology Part A Molecular & Integrative Physiology* 124(SUPPL.):S79. [*Aplysia californica*]
- Gimenez Casalduero, Francisca 1999-01/06.** Comparative study in different populations of *Elysia timida* Risso, 1818 (Gastropoda, Opisthobranchia, Sacoglossa) in open sea and lagoon environment. *Iberus* 17(1):137-146. [Jan.-Jun. issue]
- Gosliner, T.M.; Behrens, D.W.; Williams, G.C. 1996.** Coral Reef Animals of the Indo-Pacific. *Sea Challengers*, I-vi + 1-314p., 1500 clr. photos. [1103 spp. (110 branches), [*Aplysia dactylomela*, *Ardeadoris egretta*, *Asteronotus cespitosus*, *Berghia major*, *Berthellina schlumbergeri*, *Berthella martensi*, *Berthellina citrina*, *Bornella anguilla*, *Bulla vernicosa*, *Caloria indica*, *Ceratophyllidia africana*, *Ceratosoma alleni*, *Cerberilla affinis*, *Chelidonura electra*, *Chelidonura hirundinina*, *Chelidonura inornata*, *Chelidonura pallida*, *Chromodoris annae*, *Chromodoris bullocki*, *Chromodoris coi*, *Chromodoris elizabethina*, *Chromodoris geometrica*, *Chromodoris kunieii*, *Chromodoris leopardus*, *Chromodoris lochi*, *Chromodoris magnifica*, *Chromodoris reticulata*, *Chromodoris* sp., *Chromodoris willani*, *Cuthona sibogae*, *Cyerce nigricans*, *Cyerce* sp., *Dendrodois denisoni*, *Dendrodois tuberculosa*, *Dermatobranchus gonatophora*, *Discodoris boholensis*, *Discodoris* sp., *Dolabella auricularia*, *Doto ussi*, *Elysia ornata*, *Elysia* sp., *Euselenops luniceps*, *Flabellina bicolor*, *Flabellina bilas*, *Flabellina exoptata*, *Flabellina macassarana*, *Flabellina rubrolineata*, *Flabellina rubrolineata*, *Glossodoris cincta*, *Glossodoris cruentus*, *Glossodoris pallida*, *Glossodoris* sp., *Gymnodoris ceylonica*, *Gymnodoris* sp., *Halgerda carlsoni*, *Halgerda* sp., *Halgerda tessellata*, *Halgerda willeyi*, *Haminoea cymbalum*, *Hexabranchus sanguineus*, *Hydatina physis*, *Hypselodoris* sp., *Janolus* sp., *Jorunna funebris*, *Lobiger souverbii*, *Marionia distincta*, *Marionia* sp., *Melibe fimbriata*, *Miamira sinuata*, *Micromelo undata*, *Nembrotha kubaryana*, *Nembrotha lineolata*, *Nembrotha* sp., *Notodoris gardineri*, *Notodoris minor*, *Notodoris* sp., *Okenia* sp. 1, *Okenia* sp. 2, *Okenia* sp. 3, *Oxynoe viridis*, *Paraplysia geographica*, *Phestilla melanobranchia*, *Phestilla* sp., *Phillinopsis cyanea*, *Phillinopsis gardineri*, *Phyllidia babai*, *Phyllidia*]

Opisthobranch Newsletter

Copyright © September/October, 1999 - Volume 25(9/10):32

coelestis, *Phyllidia elegans*, *Phyllidia ocellata*, *Phyllidia varicosa*, *Phyllidiella pustulosa*, *Phyllidiopsis sphingis*, *Phyllodesmium briareus*, *Phyllodesmium kabiranum*, *Phyllodesmium longicirra*, *Phyllodesmium magnum*, *Platydoridiscus scabra*, *Pleurobranchus forskalii*, *Pleurobranchus grandis*, *Pteraeolidia ianthina*, *Reticulidiscus halgerda*, *Risbecia tryoni*, *Roboastra arika*, *Sagaminopteron nigropunctatum*, *Sagaminopteron psychedelicum*, *Sagaminopteron* sp. 1, *Sagaminopteron* sp., 2, *Siphopteron tigrinum*, *Stylocheilus longicauda*, *Thorunna australis*, *Thuridilla albopustulosa*, *Thuridilla bayeri*, *Thuridilla undula*, *Tritonia* sp., *Umbraculum umbraculum*, *Volvatella* sp.]

Gosliner, Terrence M.; Schaefer, Maria C.; Millen, Sandra V.

1999-07-01. A new species of *Doriopsilla* (Nudibranchia: Dendrodorididae) from the Pacific Coast of North America, including a comparison with *Doriopsilla albopunctata* (Cooper, 1863). *Veliger* 42(3): 201-210. [*Doriopsilla fulva*; *Doriopsilla gemela* new species; *Doriopsilla reticulata*]

Gruenbaum, Lore M.; Carew, Thomas J. 1999-05/06. Growth factor modulation of substrate-specific morphological patterns in *Aplysia* bag cell neurons. *Learning & Memory* 6(3):292-306.

Gruendel, J.; Nuetzel, A. 1998-12-15. Gastropoda from the Upper Pliensbachian of Kalchreuth (Liassic, zone of *Pleuroceras spinatum*) east of Erlangen (Central Franconia). *Mitteilungen der Bayerischen Staatssammlung fuer Palaeontologie und Historische Geologie*, v.0, n.38, (Dec. 15, 1998.): 63-96. [*Actaeonina domeria*; *Actaeonina obliquata* n.sp.; *Actaeonina rara* n.sp.; *Kalchreuthia* n.gen.; *Kalchreuthia franki* n.comb.; *Levipleura* n.gen.; *Levipleura blainvilliei* n.comb.; *Neodonaldina sinuata* n.sp.; *Ovactaeonina kalchreuthensis* n.sp.]

Han, Jin-Hee; Yim, Seok-Won; Lim, Chae-Seok; Park, Chan-Woong; Kaang, Bong-Kiun 1999-05. Expression of a non-inactivating K⁺ channel driven by a rat heat shock promoter increased the resting potential in *Aplysia* silent neurons. *Neuroscience Research* 34(1):13-19.

Hoisaeeter, Tore 1998-12. Preliminary check-list of the marine, shelled gastropods (Mollusca) of Golfo Dulce, on the Pacific coast of Costa Rica. *Revista de Biología Tropical* 46(SUPPL. 6):263-270.

Hoover, John P. 1997. Pocket Guide to Hawaii's Underwater Paradise. Mutual Publishing, Honolulu, HI., 96 p.; illus. [*Phyllidia varicosa*, *Peltodoris fellowsi*, *Glossodoris rufomarginata*, *Hexabranchus sanguineus*]

Hoover, John P. 1997-06. Hawaii's Underwater Paradise. Mutual Publishing, Honolulu, HI. 64 p.; illus. [*Phyllidia varicosa*, *Peltodoris fellowsi*, *Glossodoris rufomarginata*, *Hexabranchus sanguineus*]

Hoover, John P. 1999-03. Hawaii's Sea Creatures: a Guide to Hawaii's Marine Invertebrates. Mutual Publishing, Honolulu, HI, xvii+366 p.; 660 color photos. [Illustrates about 70 spp. and giving description, habitat, scientific & Hawaiian names; *Onchidium verruculatum*, *Haminoea cymbalum*, *Hydatina amplustre*, *Hydatina physis*, *Micromelo undata*, *Micromelo guamensis*, *Smaragdina calyculata*, *Chelidonura hirundina*, *Phillinopsis pilsbryi*, *Phillinopsis speciosa*, *Aplysia dactylomela*, *Aplysia oculifera*, *Aplysia juliana*, *Aplysia pulmonica*, *Dolabella auricularia*, *Dolabrifera dolabrifera*, *Stylocheilus longicauda*, *Elysia ornata*, *Plakobranchus ocellatus*, *Berthellina citrina*, *Pleurobranchus* sp., *Pleurobranchus* sp. 2; *Pleurobranchus forskalii*, *Umbraculum umbraculum*, *Hypselodoris* sp., *Phestilla melanobranchia*, *Aldisa pikokai*, *Asteronotus cespitosus*, *Halgerda terramtuensis*, *Sclerodoris palliensis*, *Ceratosoma tenue*, *Chromodoris albopunctata*, *Chromodoris albopustulosa*, *Chromodoris aspersa*, *Chromodoris illacina*, *Chromodoris decora*, *Chromodoris* sp., *Chromodoris petechialis*, *Chromodoris vibrata*, *Glossodoris poliahu*, *Glossodoris rufomarginata*, *Glossodoris youngbleuthi*, *Chromodoris youngbleuthi* or *Chromolaichma youngbleuthi*, *Glossodoris tomsmithi*, *Hypselodoris andersoni*, *Hypselodoris infucata*, *Hypselodoris maridadalus*, *Hypselodoris bertschi*, *Hypselodoris lineata*, *Hypselodoris alboterminata*, *Hypselodoris paulinae*, *Miamira sinuata*, *Risbecia imperialis*, *Thorunna daniellae*, *Thorunna* sp., *Dendrodoris albobrunea*, *Dendrodoris nigra*,

Dendrodoris rubra, *Dendrodoris tuberculosa*, *Peltodoris fellowsi*, *Ardeadoris scottjohnsoni*, *Hexabranchus sanguineus*, *Phyllidia varicosa*, *Phyllidia polkadotsa*, *Phyllidiella pustulosa*, *Phyllidiella rosans*, *Phyllidiopsis sphingis*, *Platydoridiscus formosa*, *Tambja morosa*, *Melibe pilosa*, *Bornella anguilla*, *Flabellina exoptata*, *Caloria indica*, *Favorinus japonicus*, *Flabellina bicolor*, *Glaucus atlanticus*, *Pteraeolidia ianthina*, *Berghia major*, *Phestilla melanobranchia*, *Phestilla lugubris*]

Horn, Charles C.; Benjamin, Paul R.; Weiss, Klaudiusz R.;

Kupfermann, Irving 1999-06-04. Decrement of the response of a serotonergic modulatory neuron (the metacerebral cell) in *Aplysia*, during repeated presentation of appetitive (food) stimuli. *Neuroscience Letters* 267(3):161-164. [*Aplysia californica*]

Hurst, W.J.; Moroz, L.L.; Gillette, M.U.; Gillette, R. 1999-08-27.

Nitric oxide synthase immunolabeling in the molluscan CNS and peripheral tissues. *Biochemical and Biophysical Research Communications* 262(2):545-548. [*Aplysia californica*; *Pleurobranchaea californica*; *Tritonia diomedea*]

Ijij, I.N.; Roginskaya, I.S. 1987. Nudibranchia (Mollusca) in pelagic epifauna of solid substrates. pp.72-75. [In:] Feeding of marine invertebrates and its significance in formation of communities.

*Academy of Sciences of the USSR. P.P. Shirshov Institute of Oceanology. Editors: A.P. Kuznetsov and M.N. Sokolova, Moscow, 1987. [In Russian with English Summary, p.107, *Fiona pinnata*, *Scyllaea pelagica*, *Hancockia uncinata*, *Coryphella athadona*, *Dotu* sp., *Baeolidia nodosa*, *Cuthona phoenix*, *Glaucus atlanticus*; In this article preliminary data concerning the occurrence and species composition of nudibranchs in the biocoenoses of oceanic fouling, together with some aspects of their feeding, growth and dispersal are summarised]*

Karlsson, Anna; Ostman, Carina 1999-04. Nudibranchs with peculiar food habits. *Fauna och Flora* 94(1):19-28. [Swedish]

Katoh, Kaoru; Hammar, Katherine; Smith, Peter J.S.;

Oldenbourg, Rudolf 1999-01. Birefringence imaging directly reveals architectural dynamics of filamentous actin in living growth cones. *Molecular Biology of the Cell* 10(1):197-210. [*Aplysia*]

Katoh, Kaoru; Hammar, Katherine; Smith, Peter J.S.;

Oldenbourg, Rudolf 1999-07-06. Arrangement of radial actin bundles in the growth cone of *Aplysia* bag cell neurons shows the immediate past history of filopodial behavior. *Proc. Nat. Acad. Sci. U.S.A.* 96(14):7928-7931.

Klussmann Kolb, A.; Brodie, G.D. 1999-04. Internal storage and production of symbiotic bacteria in the reproductive system of a tropical marine gastropod. *Marine Biology* 133(3):443-447. [*Dendrodoris nigra*]

Koh, Hae-Young; Jacklet, Jon W. 1999-05-15. Nitric oxide stimulates cGMP production and mimics synaptic responses in metacerebral neurons of *Aplysia*. *Journal of Neuroscience* 19(10):3818-3826. [*Aplysia californica*]

Krontiris Litowitz, J. 1999-08. Sensitizing stimulation causes a long-term increase in heart rate in *Aplysia californica*. *Journal Of Comparative Physiology A-Sensory Neural And Behavioral Physiology* 185(2):181-186.

Krug, Patrick J.; Manzi, Adriana E. 1999-08. Waterborne and surface-associated carbohydrates as settlement cues for larvae of the specialist marine herbivore *Alderia modesta*. *Biological Bulletin* 197(1):94-103.

Kurokawa, M.; Kuwasawa, K. 1998-12. Effects of anti-L7 on the gill movements driven by L7 and other gill motor neurons in the abdominal and branchial ganglia in *Aplysia*. *Zoological Science* 15(SUPPL.):117.

Kurokawa, M.; Kuwasawa, K. 1999-08. Suppression of L7-driven gill contraction by anti-L7 in *Aplysia*. *Comparative Biochemistry and Physiology Part A Molecular & Integrative Physiology* 124(SUPPL.):S92. [*Aplysia californica*; *Aplysia juliana*; *Aplysia kurodai*]

Kurokawa, M.; Kuwasawa, K.; Matsumura, S. 1999-07.

Identification of an abdominal ganglion neuron antagonizing L7-driven gill contraction in *Aplysia*. *Journal Of Comparative Physiology A-Sensory Neural And Behavioral Physiology* 185(1):11-19.